

Detection of Plutonium-239 as an Alternative Age Constraint in the Antarctic Plateau Shallow Snowpack

Heejin Hwang*

Polar Climate Change Research Division, Korea Polar Research Institute(KOPRI), Korea

To determine Pu records related to nuclear weapons tests carried out since the 1950s in snow pit samples, we used an Inductively Coupled Plasma-Sector Field Mass Spectrometry (ICP-SFMS), coupled with an Apex high efficiency sample introduction system (Apex HF). A snow pit was dug at a site (77°18'S, 39°47'E, 3785 m a.s.l.) near Dome Fuji in East Antarctica, dating from 1957 to 2007. To avoid contamination during sample preparation, sample handling was carried out under ultraclean conditions; class 10 clean benches in class 1000 clean laboratories at the Korea Polar Research Institute (KOPRI) (Hong et al., 2012). The main advantages of ICP-SFMS technique are rapidity of analysis and simple sample preparation method for ^{239}Pu at femtogram levels in small-volume samples from snow/ice. However, this technique is prone to spectral interferences. The existence of high content of uranium in sample could lead to significant interferences with ^{239}Pu owing to uranium hydride ($^{238}\text{UH}^+$) formation. We found that the interference effect of $^{238}\text{UH}^+$ was negligible when the ^{238}U concentrations were lower than 10 pg g^{-1} . It was checked in various concentrations of multi-standard solutions such as 0.1, 0.2, 0.5, 1, 2, 5, 10, 25, 50, and 100 pg g^{-1} . When the ^{238}U concentrations were higher than 10 pg g^{-1} , significant counts for $^{238}\text{UH}^+$ were measured. In the snow pit samples, the ^{238}U concentrations were lower than 0.5 pg g^{-1} . Accordingly, ^{239}Pu signals were detected without $^{238}\text{UH}^+$ interference. For the calculation of ^{239}Pu concentration, semi-quantitative method was used. It is based on assumption that the first ionization energy for Pu and U are very close (6.06 eV and 6.19 eV, respectively) and therefore they should have a similar behavior when ionized in the plasma (Gabrieli et al., 2011). An external calibration method was applied for the semi-quantification of ^{239}Pu with ^{238}U in the samples. The concentrations of the standard solution used for the calibration curve were 0.1, 0.2, 0.5, 1, 2, and 10 pg g^{-1} . Detection limits obtained for U and Pu are 0.005 pg g^{-1} and 0.042 fg g^{-1} , respectively. The results from the dilute solutions of riverine water certified reference materials (CRM) (SLRS-5) showed good agreement with the compiled value (Heimbürger et al., 2012) (in pg g^{-1}): 101 ± 6 ($n=10$) versus 93 ± 6 ($n=25$) for U. Consequently, the ^{239}Pu records were reconstructed at femtogram levels in the Antarctic snow pit sample by the application of a semi-quantitative method. These suggest that this method can be widely used for the reconstruction of the fallout history of ^{239}Pu and for the age constraint in other Antarctic Plateau sites.

S. Hong, T.-O. Soyol-Erdene, H. J. Hwang, S. B. Hong, S. D. Hur, and H. Motoyama, *Environ. Sci. Technol.* 46, 11550–11557 (2012).

J. Gabrieli, G. Cozzi, P. Vallenga, M. Schwikowski, M. Sigl, J. Eickenberg, L. Wacker, C. Boutron, H. Gäggeler, P. Cescon, and C. Barbante, *Atmos. Environ.* 45, 587-593 (2011).

A. Heimbürger, M. Tharaud, F. Monna, R. Losno, K. Desboeufs, and E.B. Nguyen, *Geostand. Geoanal. Res.* 37, 77-85 (2012).

*Corresponding author 1 Heejin Hwang
Affiliation Korea Polar Research Institute(KOPRI)
Department
E-mail address heejin@kopri.re.kr

▪ Registrant's Information.

▪ Title Dr.
▪ First (Middle) Name Heejin
▪ Last Name Hwang
▪ E-mail heejin@kopri.re.kr
▪ Affiliation Korea Polar Research Institute(KOPRI)
▪ Department
▪ Country Korea
▪ Tel +82327605463

▪ Author(s)

	Presenter	Yes	Corresponding Author	Yes
Author 1	▪ Title	Dr.		
	▪ First (Middle) Name	Heejin	▪ Last Name	Hwang
	▪ Email	heejin@kopri.re.kr		
	▪ Affiliation	Korea Polar Research Institute(KOPRI)		
	▪ Department	Polar Climate Change Research Division		
	▪ Country	Korea		

▪ Presentation Preference

Poster

▪ Conference Topics

Analytical Chemistry & Environment

CLOSE