Characterization of seasonal sea-salt particles in Antarctica by the combined use of low-Z particle electron probe X-ray microanalysis and Raman microspectrometry



<u>Hyo-Jin Eom</u>, Dhrubajyoti Gupta, HeeJin Hwang\*, SoonDo Hur\*, and Chul-Un Ro Department of Chemistry, Inha University \*Polar Climate Change Research Division, Korea Polar Research Institute



Introduction

Antarctica, having minimal influence from trade-winds, is isolated from cross-continental anthropogenic aerosol sources. Hence, it is one of the few pristine sites ideal for studying natural sea salt aerosols (SSAs) processes (Maskey et al., 2011). The different phases of natural SSAs significantly affect earth's radiative balance by scattering light and acting as cloud droplet or ice-nuclei (Ault et al., 2013). So far most investigations are based on artificially generated SSAs. This study aims to present a systematic examination of the inter-dependence of hygroscopic properties and the chemical heterogeneity of natural SSAs collected in the Antarctic.

Aerosol samples were collected at a Korean scientific research station in the Antarctic: the King Sejong station (62°22'S, 58°78'W). Sea salt particles were collected on Al foils (Aldrich, 99.8% purity) using a three stage cascade impactor ( $PM_{10}$  Impactor, Dekati Inc.) in different seasons. The impactor has aerodynamic cut-offs of 10, 2.5, and 1 µm for stages 1, 2, and 3, respectively, at a 10 L min<sup>-1</sup> sampling flow. The chemical compositions, mixing states, and spatial distribution of chemical species within individual particles are obtained by the combined use of low-Z particle energy-dispersive X-ray microanalysis and Raman microspectrometry.



# **Material and Methods**

## 1. Sampling :

- Sampling methods
- > 3-stage Dekati PM<sub>10</sub> impactor
- > Aerodynamic cut-offs : 10, 2.5, 1 μm
- Substrate : Al foil (Sigma-Aldrich, 99.8% purity)
- > Sampling flow : 10 L min<sup>-1</sup>

### • Sampling site

≻The King Sejong station (62°22'S, 58°78'W)

•	Sample
	Sample

Season	Year	Month	Date	Stage	Sea Temp. (°C)	Chl-a (µg/L)	Temp. (°C
Summer	2011	12	9	2	0.6	123.0	1.1
Winter	2012	7	23	2	-1.6	6.3	0.4

### 2. Measurement and Analysis :

• Micro-Raman spectrometry for single particle analysis







- Particle morphology and X-ray mapping measurement using SEM/EDX
- SEM-EDX (Scanning Electron Microscopy–Energy Dispersive X-ray Spectrometry)
  - Individual Particle Analysis:
- shape and size: secondary / backscattered electron images
  chemical composition: X-ray spectrum
  Ultra-thin window EDX for low-Z elements detection (C, N, O, F)



Summer

Winter





Metallic collecting substrates for minimizing charging effects (Ag or Al)

#### ➢ Jeol JSM-6390 SEM

- > Oxford Link SATW ultrathin window EDX detector
   > The detector resolution : 133 eV for Mn Kα X-rays
- > 10 kV accelerating voltage
- ➢ 0.5 nA beam current
- > Oxford INCA Energy software
  - : X-ray spectra and elemental maps





# Discussion

Most of the sea salt particles have NaCl showing cubic structures in core and Mg<sup>2+</sup> and organic species in boundaries. Raman signatures indicate presence of many organic species apparently from phytoplankton activity. The association of sulfate species with NaCl are more abundant in the summer than in the winter SSAs.

#### **\*** References

Ault, A. P., Moffet, R. C., Baltrusaitis, J., Collins, D. B., Ruppel, M. J., Cuadra-Rodriguez, L. A., Zhao, D., Guasco, T. L., Ebben, C. J., Geiger, F. M., Bertram, T. H., Prather, K. A., and Grassian, V. H. (2013). Environ. Sci. Technol., 47, 5603–5612. Maskey, S., Geng, H., Song, Y.-C., Hwang, H., Yoon, Y.-J., Ahn, K.-H., and Ro, C.-U. (2011). Environ. Sci. Technol., 45, 6275–6282.

You, Y., R.-Wolff, L., and Bertram, A. K. (2013). Atmos. Chem. Phys., 13, 11723–11734